

# 深圳市维拓精电科技有限公司 WTL International Limited

# **APPROVAL SHEET**

DESCRIPTION :			Ф3X8mm 2 Leads DIP Tuning Fork Crystal			
NOMINAL FREQ.:			32.768KHz			
WTL P/N:			WTL3T85267F	-0		
VERSION:			1			
DATE:			2022.04.21			
Customer			Customer P/N			
Pr	omelectronica			/		
Cus	stomer Signature			WTL		
			Approved by:	Kavin Liu		
			Checked by:	Shu Ping		
			Issued by:	Kavin Liu Shu Ping Shenylvia		
REVISION HIS	STORY	-		<del>/</del>		
Revised Page	Revision Content	Date	Ref. No.	Reviser		













### **CONTENT CATALOG**

APPROVAL SHEET	P. 1
CONTENT CATALOG	P. 2
ELECTRICAL SPECIFICATIONS	P. 3
DIMENSIONS	P. 4
MARKING	P. 4
RELIABILITY SPECIFICATIONS	P. 5
HANDING NOTICE	P. 6
SUBSTANCES IN PRODUCT	P. 7
PACKING SPECIFICATIONS	P. 8
WTL PART NUMBER SYSTEM	P. 9

# Attachment(s):

1.Product Specification Sheet
2.Electrical Testing Report
3.Reliability Report
4.ICP Test Report (SGS)



#### **FEATURE**

- Wide Frequency range
- High shock tolerance
- Small size
- Reliable frequency stability

#### **APPLICATIONS**

- Microprocessor Systems
- Consumer Electronics
- Instrument
- Automotive electronics




### 1, ELECTRICAL SPECIFICATIONS

CELECTRICAL SPECIFICATIONS					
Ф3X8MM DIP TUNING FORK CRYSTAL					
32.768KHz					
±20ppm					
40Kohm Max					
25 ± 5°C					
-0.034(±0.006)ppm/°C 2					
-40 °C to + 85 °C					
-55 °C to +125 °C					
1.5pF Typ.					
3.0fF Typ.					
0.1μW					
1μW					
6pF					
More than 500Mohms at DC100V					
±5ppm/year					

REMARK: SPECIFICATIONS SUBJECT TO CHANGE WITHOUT PRIOR NOTICE. PLEASE CONFIRM WITH OUR SALES ENGINEER.



# 2, DIMENSIONS (Unit: mm)



MODEL	A	В	С	D	Е
Size	3.1±0.20	8.3±0.10	10.0±0.20	1.1±0.1	φ0.30±0.05

# 3, MARKING

32.768



# **4、RELIABILITY SPECIFICATIONS**

	TSPECIFICATIONS			
Item	Conditions	Result		
Vibration	(1)Vibration Frequency 10 to 55Hz (2)Vibration Amplitude 1.5mm (3) Cycle Time 1-2min(10-55-10Hz) (4)Direction X.Y.Z (5)Duration 2h/each direction	Frequency Change:±5ppm Max. Resistance Change: 5kohm Max.		
Shock	3 Times free drop from 75cm height to hard wooden board of thickness more than 30mm	Frequency Change:±5ppm Max. Resistance Change: 5kohm Max.		
Hermetic seal	Helium leak detector Checked: before the molded crystal units	less than 1 × 10 EXP(–7) mbar.l/sec.		
Solder ability	Dip the leads of crystal units into the solution (7-10%) of rosin 3±0.5s,then dip it into the tank 5-10s.  Temperature of solder melted tank is 245°C±5°C	The dipped surface of the leads should be at least 95% covered with continuous new solder coating		
High temperature	96 hours at +100°C±2°C After 1-2hours past at room temperature from following	Frequency Change:±5ppm Max. Resistance Change: 5kohm Max.		
Low temperature	72 hours at -40°C±2°C After 1-2hours past at room temperature from following test.	Frequency Change:±5ppm Max. Resistance Change: 5kohm Max.		
Humidity	96 hours at +40°C±2°C,relative humidity 90-95% After 1-2hours past at room temperature from following	Frequency Change:±5ppm Max. Resistance Change: 5kohm Max.		
Temperature cycle	After supplying the following temperature cycle -55°C ⇔ +125°C for 30 minutes. (50cycles)	Frequency Change: ±5ppm Max. Resistance Change: 5kohm Max.x.		
salt spray test	On the basis of GB/T10125-1997	Frequency Change:±5ppm Max. Resistance Change: 5kohm Max.		
Lead strength	In the lead 2.00 Kg tensile force was applied at the end to keep more than 5 seconds	Frequency Change:±5ppm Max. Resistance Change: 5kohm Max.		



## 5. HANDING NOTICE FOR STANDARD TUNING FORK CRYSTAL (Cylindrical Type)

#### 5.1. Shock resistance

It may deteriorate the characteristics or cause of no oscillation if excess physical shock given. Please be careful not to drop. Please use under condition to minimize the shocks as much as possible. Please review the conditions if it is used by auto mounting or after the conditions are changed.

#### 5.2. Heat and humidity resistance in storage

Storing the crystal products under higher or lower temperature or high humidity for a long period may deteriorate the characteristics of crystal units. Please store and use the crystal products at the normal temperature and humidity.

#### 5.3. Solder heat resistance


Standard type crystal products use Material have a 230°C melting point. Heating up the package more than 210°C may deteriorate the characteristics or cause of no oscillation the products. If the crystal products need to be soldered at temperature of more than +210°C, please study heat-resistance products or SMD products. Please review the condition or consult us about flow solder process. Our soldering condition is under 280°C within 3sec or 320°C within 2sec for lead parts use the soldering iron .

Please don't solder the crystal unit (case) directly. It may cause of deteriorate the characteristics.

#### 5.4. Mounting method to PCB

When the crystal products need to be lay down please fix to PCB securely.

If the crystal is used with mechanical vibration location, please put cushion in between PCB or fix with elasticity glue (Silicon etc) as shown in below figure. Please don't gluing hermetic seal grass. When the crystal products need to be mounted vertically, gap between crystal units and PCB more than 3mm for 3×8 type, more than 2mm for 2×6 type is recommended.



#### 5.5. Lead process

When the lead needs to be cut please maintenance the cutter.

When the lead needs to be bent or repaired please be careful not to giving excess pressure at the root of the lead to avoid crack of the hermetic seal glass. Also please be careful not to giving excess pressure at sealing to avoid sealing tightness deteriorate. Leave more than 0.5 mm of lead from the case.

#### 5.6. Ultrasonic cleaning and ultrasonic soldering

Soldered by ultrasonic cannot be guaranteed, because crystal may be sympathetic vibrated and may damage. Please study at your side about ultrasonic cleaning.

#### 5.7. Drive level

Applying excessive drive level to the crystal units may cause deterioration of characteristics or damage. Less then 1.0 $\mu$ W is recommended to this products. More than 2.0 $\mu$ W cannot be guaranteed.



# **6. SUBSTANCES IN PRODUCT** (weight: 109.76mg/pcs)

Drawing number	Disassembly Unit	Homogene ous Material Name.	Substance Name	CAS No.	Substance Mass. (mg)	Content Rate(%)per
	САР	Kovar	Cu	7440-50-8	44.3196	59.84%
			Ni	7440-02-0	17.0802	23.06%
			Zn	7440-66-6	11.664	15.75%
			Mn	7439-96-5	0.4194	0.57%
			Fe	7439-89-6	0.5832	0.79%
			Fe	7439-89-6	6.1362	57.46%
		Kovar ring	Ni	7440-02-0	4.4856	42.01%
	Lead		Со	13981-50-5	0.0018	0.02%
			Mn	7439-96-5	0.0504	0.48%
			Sn	7440-31-5	0.0018	0.02%
			Cu	7440-50-8	0.0018	0.02%
	Glass	Glass	SiO2	7631-46-1	4.95	100.00%
<b>\$</b> 3*8	Base	Fe-Ni	Fe	7439-89-6	6.93	68.75%
			Ni	7440-02-0	2.808	27.86%
			Со	13981-50-5	0.0018	0.02%
			Mn	7439-96-5	0.0144	0.14%
			Sn	7440-31-5	0.1764	1.75%
			Cu	7440-50-8	0.1494	1.48%
	Blank	Quartz	SiO2	14808-60-7	6.48	100.00%
	Electrode	CrAg	Cr	7440-47-3	0.0036	6.43%
			Ag	7440-22-4	0.0522	93.57%
	SOLDER	SnAgCu	Sn	7440-31-5	3.33	96.56%
			Ag	7440-22-4	0.1026	2.97%
			Cu	7440-50-8	0.0162	0.47%

All the products we provide meet the requirements of RoHS and Reach regulations, and we send SGS for ICP test every year.




# 7, PACKING SPECIFICATIONS (Unit: mm)

Bag packaging Size: 150\*120 mm Quantity:1000pcs




Packing inner box Size: 170\*120\*75 mm Quantity: 10,000pcs





Packing box Size: 360\*320\*170 mm

10 boxes in each outer carton, Q ' TY: 100,000pcs





### 8, WTL PART NUMBER SYSTEM:

For example: WTL3T85267FO

[Instructions: for project management, WTL will trace back the part number to developer wherever it goes]

WTL: Brand

3T: Package Code

85267: Serial number, flow code, without any rules

**FO:** WTL Developer Code, for example: VH,CH,PZ,RZ,ML