

Data sheet

Commercial Art.No.: 93.040.1053.0

Distributor ST17/2 VT 5/1 F WS

Distribution block ST17/2, 2 pole, 1 input, 5 outputs, with mounting option, 50V/16A, color of coding: white



Commercial Art.No.	93.040.1053.0
EAN	4015573238732
Order Unit	1

Certificates / Approvals



Technical data

General

Rated current	16 A
Rated voltage	50 V
Rated impulse voltage	0.8 kV
Pollution degree	2
Mechanical coding	yes
Lockable	self-locking (unlocking by tool)
Color of coding/ contact carrier	white

Model

Number of inputs	1
Number of outputs	5
Type of fastening	yes
Degree of protection (IP)	IP20
Type of distributor	HH-distributor

Material

Housing material	Polyamide
halogen free	yes
Contact material	CuZn
Fire load	0.12 kWh
Insulation components continuous temperature	100 °C
Surface finish	Tin-plated

Dimensions

Length	43 mm
Width	16.2 mm
Height	48 mm



Classification

ECLASS 11	
ECLASS 8.1	27440603

ETIM 7.0	EC002567
ETIM 6.0	EC002567
ETIM 5.0	EC002567
ETIM 4.0	EC002567

Product compliance

ROHS conformity status	Compliant/Exempted
ROHS exceptions	III-6(c)
REACH-SVHC conformity status	Duty-To-Declare
REACH-SVHC substances	Lead
REACH-SVHC CAS numbers	7439-92-1



Weitergabe sowie Vervielfältigung dieses Dokuments, Verwertung und Mitteilung seines Inhalts sind verboten, soweit nicht ausdrücklich gestattet. The reproduction, distribution and utilization of this document as well as the communication of its contents to others without express authorization is prohibited.

für folgende Tabellen-Zchnng.:
93.040.1053.0

VERTEILER
93.040.1053.0 10W
04.01.2008 Lunz S.
M 1:1