




DETAILS

Product Number	C13937_STRADA-2X2-C-STP
Family	Strada-C
Type	Lens
Color	clear
Diameter	50 x 50 mm
Height	6,27 mm
Style	square
Optic Material	PMMA
Holder Material	
Fastening	screw, pin
Status	production ready
ROHS Compliant	Yes
Date Updated	21/04/2016





OPTICAL PROPERTIES



LED	Viewing Angle	Light Beam	Efficiency	cd/lm	Connector
XP-G2	137 deg	Streetligh...	94 %	0.300	-
XP-L	139 deg	Streetligh...	92 %	0.280	-
XP-L HI	136 deg	Streetligh...	94 %	0.300	-
XP-G3	141 deg	Streetligh...	94 %	0.290	-
XP-L2	139 deg	Streetligh...	94 %	0.290	-
H35C1 (LEMWA33)	136 deg	Streetligh...	94 %	0.310	-
LUXEON MZ	133 deg	Streetligh...	94 %	0.320	-
LUXEON 5050	133 deg	Streetligh...	94 %	0.320	-
LUXEON TX	133 deg	Streetligh...	94 %	0.320	-
NVSW3x9A	138 deg	Streetligh...	94 %	0.300	-
Oslon Square PC	130 deg	Streetligh...	94 %	0.330	-
Oslon Square Gen3	137 deg	Streetligh...	94 %	0.320	-
Duris S8	sim: 120	Streetligh...	sim: 93 %	sim: 0.350	-
Fortimo FastFlex LED board 2x8/740 DA	135 deg	Streetligh...	94 %	0.300	-
LH351Z	127 deg	Streetligh...	94 %	0.320	-
LH351B	134 deg	Streetligh...	94 %	0.310	-
LH351D	sim: 123	Streetligh...	sim: 91 %	sim: 0.310	-
TL1L4	119 deg	Streetligh...	92 %	0.340	-
RLE G1 49x223mm 4000lm xxx EXC OT	29 deg	Streetligh...	94 %	0.330	-
RLE G1 49x245mm 4000lm xxx EXC OT	29 deg	Streetligh...	94 %	0.330	-
RLE G1 49x121mm 2000lm xxx EXC OT	29 deg	Streetligh...	94 %	0.330	-
RLE G1 49x133mm 2000lm xxx EXC OT	29 deg	Streetligh...	94 %	0.330	-



Isometric view
Scale 1:1




This drawing applies to:
C13936_STRADA-2X2-B2-STP
C13937_STRADA-2X2-C-STP


Tolerances if not otherwise shown According to DIN ISO 2768-1 Linear measures: Up to 30mm class M, otherwise class C. According to DIN ISO 2768-2 Form and position: class L		 Ledil Oy Salorankatu 10 FIN 24240 SALO Finland	
THIRD ANGLE PROJECTION: 		DRAWING TITLE Datasheet_STRADA-2X2-STP	
This drawing is the property of LEDiL Oy. It may not be reproduced, copied or communicated without a written agreement with LEDiL Oy."		SIZE A3	PART NUMBER -
SCALE 2:1		WEIGHT (g)	SHEET 1/1

Luminaire: LEDiL Oy C13937_STRADA-2X2-C-STP_(XP-G2)


Lamps: 1 x Cree_XP-G2_(XPG-BWT-L1-000-00-G51)_411.002lm@250mA_P=2.95164W_I=0.250A



Luminaire: LEDiL Oy C13937_STRADA-2x2-C-STP_(XP-L)
Lamps: 1 x CREE_XP-L_2x2_(XPLAWT-0-1B0-V40-00-0001)_504.373lm@250mA_CCT=7600K_P=2.79963W_I=249.9mA




Luminaire: LEDiL Oy C13937_STRADA-2X2-C-STP_(XP-L_HI)
Lamps: 1 x Cree_XP-L_HI_(2x2)_(XPLAWT-H-5A3-U60-013-0001)
_455.077lm@250mA_P=2.84011W_I=0,2499A




Luminaire: Ledil C13937_STRADA-2X2-C-STP_(XP-G3)

Lamps: 1 x Cree_XP-G3_2x2_(XPGDWT-B1-3C0-S4-0-01)_516.212lm@250mA_P=2.78875W_I=0.250A




Luminaire: Ledil C13937_STRADA-2X2-C-STP_(XP-L2)

Lamps: 1 x Cree_XP-L2_2x2_(XPLBWT-00-0000-000BV50E3)550.93lm@250mA_P=2.7815W_I=0.25A




Luminaire: Ledil C13937_STRADA_2x2-C-STP_(H35C1)
Lamps: 1 x LG_H35C1_2x2_477.216lm@250mA_P=2.87475W_I=0.250A




Luminaire: Ledil C13937_STRADA-2X2-C-STP_(Luxeon_MZ)


Lamps: 1 x Philips_Lumileds_Luxeon_MZ_(LMZ7-QW57)_(2x2)_427.268lm@250mA_P=2.734W_η=0.2500A




Luminaire: LEDiL Oy C13937_STRADA-2X2-C-STP_(Luxeon_5050)
Lamps: 1 x Luxeon_5050_2x2_1270.76lm@80mA_CCT=5700K_P=7.35815W_I=0.080A_70CRI




Luminaire: LEDiL Oy C13937_STRADA-2X2-C-STP_(Luxeon_TX)
Lamps: 1 x Luxeon_TX_(L1T2-3585)_318.556lm@250mA_P=2.78827W_I=0.250A



Luminaire: LEDiL Oy C13937_STRADA-2X2-C-STP_(NVSW319AE)
Lamps: 1 x Nichia_NVSW319AE_499.093lm@250mA_P=2.79052W_I=0.25A




Luminaire: LEDiL Oy C13937_STRADA-2X2-C-STP_(Oslon_Square_PC_2x2)
Lamps: 1 x Osram_Oslon_Square_PC_2x2_(GWCSSRM1.PC)
_411.322lm@250mA_P=2.85186W_I=0.2499A




Luminaire: Ledil C13937_STRADA-2X2-C-STP_(Square_Gen3)


Lamps: 1 x Osram_Square_Gen3_(GW_CSSRM2.PM)_461.082lm@250mA_P=2.79075W_I=0.250A



Luminaire: Ledil Oy C13937STRADA-2X2-C-STP_(Duris_S8_Gen2)_SIMULATED
Lamps: 1 x OSRAM_DURIS S8 GEN2 5050 package




Luminaire: LEDiL Oy C13937_STRADA-2X2-C-STP_(Fortimo_F-Flex_2x8_740DAG3)
Lamps: 1 x Philips_Fortimo_F-Flex_2x8_740DAG3_1780.2lm@250mA_P=11.6112W_I=0.2498A




Luminaire: LEDiL Oy C13937_STRADA-2X2-C-STP_(LH351Z)

Lamps: 1 x SAMSUNG_LH351Z_2x2_369.77lm@250mA_P=2.86371W_I=249.8mA



Luminaire: Ledil C13937_STRADA-2X2-C-STP_(LH351B)


Lamps: 1 x Samsung_LH351B_2x2_444:178lm@250mA_P=2.8535W_I=0.25A




Ledil C13937_STRADA-2X2-C-STP_(TL1L4) / LDC (Linear)

Luminaire: Ledil C13937_STRADA-2X2-C-STP_(TL1L4)


Lamps: 1 x Toshiba_TL1L4_2x2_(TL1L4-DW0)_472.639lm@250mA_CCT=6500K_P=2.9W_I=0.25A




Luminaire: LEDiL Oy C13937_STRADA-2X2-C-STP_(Tridonic_Module_RLE_G1)
Lamps: 1 x Tridonic_Module_RLE_G1_4576.03lm@700mA_P=32.0681W_I=0.700A




Luminaire: LEDiL Oy C13937_STRADA-2X2-C-STP_(Tridonic_Module_RLE_G1)
Lamps: 1 x Tridonic_Module_RLE_G1_4576.03lm@700mA_P=32.0681W_I=0.700A




Luminaire: LEDiL Oy C13937_STRADA-2X2-C-STP_(Tridonic_Module_RLE_G1)
Lamps: 1 x Tridonic_Module_RLE_G1_2288lm@700mA_P=16W_I=0.700A



Luminaire: LEDiL Oy C13937_STRADA-2X2-C-STP_(Tridonic_Module_RLE_G1)
Lamps: 1 x Tridonic_Module_RLE_G1_2288lm@700mA_P=16W_I=0.700A




Luminaire: LEDiL Oy C13937_STRADA-2X2-C-STP_(XP-G2)
Lamps: 1 x Cree_XP-G2_(XPGBWT-L1-000-00-G51)_411.002lm@250mA_P=2.95164W_I=0.250A



Luminaire: LEDiL Oy C13937_STRADA-2x2-C-STP_(XP-L)

Lamps: 1 x CREE_XP-L_2x2_(XPLAWT-0-1B0-V40-00-0001)_504.373lm@250mA_CCT=7600K_P=2.79963W_I=249.9mA




cd/klm

— C0 - C180 — C90 - C270


$\eta = 92\%$

Luminaire: LEDiL Oy C13937_STRADA-2X2-C-STP_(XP-L_HI)
Lamps: 1 x Cree_XP-L_HI_(2x2)_(XPLAWT-H-5A3-U60-013-0001)
_455.077lm@250mA_P=2.84011W_I=0,2499A



Luminaire: Ledil C13937_STRADA-2X2-C-STP_(XP-G3)

Lamps: 1 x Cree_XP-G3_2x2_(XPGDWT-B1-3C0-S4-0-01)_516.212lm@250mA_P=2.78875W_I=0.250A




cd/klm

— C0 - C180 — C90 - C270


$\eta = 94\%$

Luminaire: Ledil C13937_STRADA-2X2-C-STP_(XP-L2)

Lamps: 1 x Cree_XP-L2_2x2_(XPLBWT-00-0000-000BV50E3)550.93lm@250mA_P=2.7815W_I=0.25A




Luminaire: Ledil C13937_STRADA_2x2-C-STP_(H35C1)
Lamps: 1 x LG_H35C1_2x2_477.216lm@250mA_P=2.87475W_I=0.250A



Luminaire: Ledil C13937_STRADA-2X2-C-STP_(Luxeon_MZ)

Lamps: 1 x Philips_Lumileds_Luxeon_MZ_(LMZ7-QW57)_(2x2)_427.268lm@250mA_P=2.734W_I=0.2500A




cd/klm

— C0 - C180 — C90 - C270

$\eta = 97\%$

Luminaire: LEDiL Oy C13937_STRADA-2X2-C-STP_(Luxeon_5050)

Lamps: 1 x Luxeon_5050_2x2_1270.76lm@80mA_CCT=5700K_P=7.35815W_I=0.080A_70CRI




cd/klm

— C0 - C180

— C90 - C270

$\eta = 94\%$

Luminaire: LEDiL Oy C13937_STRADA-2X2-C-STP_(Luxeon_TX)
Lamps: 1 x Luxeon_TX_(L1T2-3585)_318.556lm@250mA_P=2.78827W_η=0.250A




cd/klm


η = 96%

— C0 - C180 — C90 - C270

Luminaire: LEDiL Oy C13937_STRADA-2X2-C-STP_(NVSW319AE)
Lamps: 1 x Nichia_NVSW319AE_499.093lm@250mA_P=2.79052W_I=0.25A




Luminaire: LEDiL Oy C13937_STRADA-2X2-C-STP_(Oslon_Square_PC_2x2)
Lamps: 1 x Osram_Oslon_Square_PC_2x2_(GWCSSRM1.PC)
_411.322lm@250mA_P=2.85186W_I=0,2499A



Luminaire: Ledil C13937_STRADA-2X2-C-STP_(Square_Gen3)

Lamps: 1 x Osram_Square_Gen3_(GW_CSSRM2.PM)_461.082lm@250mA_P=2.79075W_I=0.250A




cd/klm

— C0 - C180


— C90 - C270

$\eta = 94\%$

Luminaire: Ledil Oy C13937STRADA-2X2-C-STP_(Duris_S8_Gen2)_SIMULATED
Lamps: 1 x OSRAM_DURIS S8 GEN2 5050 package




Luminaire: LEDiL Oy C13937_STRADA-2X2-C-STP_(Fortimo_F-Flex_2x8_740DAG3)
Lamps: 1 x Philips_Fortimo_F-Flex_2x8_740DAG3_1780.2lm@250mA_P=11.6112W_η=0.2498A



Luminaire: LEDiL Oy C13937_STRADA-2X2-C-STP_(LH351Z)

Lamps: 1 x SAMSUNG_LH351Z_2x2_369.77lm@250mA_P=2.86371W_I=249.8mA



cd/klm


— C0 - C180

— C90 - C270

$\eta = 94\%$

Luminaire: Ledil C13937_STRADA-2X2-C-STP_(LH351B)

Lamps: 1 x Samsung_LH351B_2x2_444.178lm@250mA_P=2.8535W_I=0.25A



cd/klm

— C0 - C180


— C90 - C270

$\eta = 97\%$


Ledil C13937_STRADA-2X2-C-STP_(TL1L4) / LDC (Polar)

Luminaire: Ledil C13937_STRADA-2X2-C-STP_(TL1L4)


Lamps: 1 x Toshiba_TL1L4_2x2_(TL1L4-DW0)_472.639lm@250mA_CCT=6500K_P=2.9W_I=0.25A




Luminaire: LEDiL Oy C13937_STRADA-2X2-C-STP_(Tridonic_Module_RLE_G1)
Lamps: 1 x Tridonic_Module_RLE_G1_4576.03lm@700mA_P=32.0681W_I=0.700A



Luminaire: LEDiL Oy C13937_STRADA-2X2-C-STP_(Tridonic_Module_RLE_G1)
Lamps: 1 x Tridonic_Module_RLE_G1_4576.03lm@700mA_P=32.0681W_I=0.700A



Luminaire: LEDiL Oy C13937_STRADA-2X2-C-STP_(Tridonic_Module_RLE_G1)
Lamps: 1 x Tridonic_Module_RLE_G1_2288lm@700mA_P=16W_I=0.700A




cd/klm

— C0 - C180

— C90 - C270

$\eta = 94\%$

Luminaire: LEDiL Oy C13937_STRADA-2X2-C-STP_(Tridonic_Module_RLE_G1)
Lamps: 1 x Tridonic_Module_RLE_G1_2288lm@700mA_P=16W_I=0.700A



cd/klm

— C0 - C180

— C90 - C270

$\eta = 94\%$

NOTE: The typical divergence will be changed by different color, chip size and chip position tolerance. The typical total divergence is the full angle measured where the luminous intensity is half of the peak value.